

AMENDMENTS TO THE CLAIMS

Please cancel claims 1 to 7 without prejudice.

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Original) A method for preparing an alignment layer surface, comprising the steps of:
providing a surface on the alignment layer;
bombarding the surface with ions; and
quenching the surface with a reactive component to saturate dangling bonds on the
surface.

9. (Original) The method as recited in claim 8, wherein the alignment layer includes diamond like carbon.
10. (Original) The method as recited in claim 8, wherein the step of quenching the surface with a reactive component includes the step of quenching the surface with a reactive gas to saturate dangling bonds on the surface.
11. (Original) The method as recited in claim 10, wherein the reactive gas includes at least one of hydrogen, nitrogen, carbon dioxide, oxygen and water vapor.
12. (Original) The method as recited in claim 8, wherein the step of quenching the surface with a reactive component includes the step of quenching the surface with a reactive liquid to saturate dangling bonds on the surface.
13. (Original) The method as recited in claim 12, wherein the reactive liquid includes at least one of alcohol, water, hydrogen peroxide, carbon dioxide-saturated water, and liquid crystal.
14. (Original) A method for preparing an alignment layer surface for liquid crystal displays, comprising the steps of:
- providing a diamond like carbon surface;
 - bombarding the surface with ions from an ion beam;
 - saturating dangling bonds on the surface caused by the bombarding step.

15. (Original) The method as recited in claim 14, wherein the step of bombarding includes the step of introducing a reactive gas to the ion beam.
16. (Original) The method as recited in claim 14, wherein the reactive gas includes at least one of nitrogen, hydrogen, oxygen, fluorine silane and tetrafluoromethane.
17. (Original) The method as recited in claim 14, wherein the step of bombarding the surface with ions includes the step of bombarding the surface with Argon ions and reactive gas ions.
18. (Original) The method as recited in claim 14, wherein the step of saturating dangling bonds includes the step of quenching the surface with a reactive gas to saturate dangling bonds on the surface.
19. (Original) The method as recited in claim 18, wherein the reactive gas includes at least one of hydrogen, nitrogen, carbon dioxide, oxygen and water vapor.
20. (Original) The method as recited in claim 14, wherein the step of saturating dangling bonds includes the step of quenching the surface with a reactive liquid to saturate dangling bonds on the surface.
21. (Original) The method as recited in claim 20, wherein the reactive liquid includes at least one of alcohol, water, hydrogen peroxide, carbon dioxide-saturated water, and liquid crystal.